Chip Development



Wireless Call Pendant

WCP-01

(Connects to Nurse Call Receiver, Wireless Falls Monitor or Wireless Pager)

Application/Introduction

This latest innovative wearable device triggers an alarm for help or emergency. Pair with Nurse Call Receiver, Wireless Falls Monitor or Wireless Pager.



Salient Features

- Light weight, wearable attached to lanyard
- Long battery life of up to 24 months
- · Low battery & Call alarm status LED
- · Constant monitoring communication with receiving device

TECHNICAL SPECIFICATIONS

Product codes	WCP-01
Power Source	CR2450 3V (Not replaceable)
Battery Life	Up to 24 months (Average 10 alarms per day)
Visual Indication	1 LED for call, 1 LED for low battery
ACMA/FCC Specifications	 Carrier frequencies: 2.4Ghz Confirms To FCC Part 15 RF signal modulation: FSK Frequency hopping communication with 66 channels
Wireless Communication Method	When there is an alarm, the Transmitter sends a radio signal to Receiver that I am in the alarm. The Receiver acknowledges this alarm and replies back "Well Received". Otherwise, the transmitter resends the same message at the next available channel until it receives an acknowledgment message from Receiver. Thanks to frequency hopping communication technology, there are 66 communication channels available. Each programmed transmitter periodically sends a radio signal to the Receiver that "I am OK" and Receiver acknowledges the message and replies When the "I am ok" message is not received by Receiver for a certain time then the Receiver triggers fault alert.
Mounting method	This Pendant comes with necklace style Lanyard
Water Protection Classification	IPX1
Operating, Storage and Transportation	 Ambient temperature: +5°C to +45°C Relative Humidity: 30% to 85% Atmospheric Pressure: 700 hPa to 1060 hPa
Dimensions	70 x 40 x 10mm Approximately
Weight	20 grams (including batteries)
Certifications	RCM,FCC,ROHS,CE
What's In The Box	1 x Wireless Pendant including lanyard 1 x Quick start guide